

Trade name :	Alumina Gel 2 kg		
Revision date :	19.01.2023	Version (Revision) :	2.0.0 (1.0.0)
Print date :	30.01.2023		

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## **1.1 Product identifier** Alumina Gel 2 kg

 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Products for animals

# **1.3 Details of the supplier of the safety data sheet**

Supplier

Pharmaka GmbH

Street : Westring 24

Postal code/City: 48356 Nordwalde

Country : Deutschland

Telephone : +49 2573 920900

Telefax : +49 2573 9209050

Information contact : info@pharmakas.de www.pharmakas.de

www.pnarmakas

# **1.4 Emergency telephone number**

Germany: Poisons Information Centre Berlin Charité – Universitätsmedizin Berlin Campus Benjamin Franklin Haus VIII, UG Hindenburgdamm 30 D-12203 Berlin +49(0)30/30686 700, Internat. INFOTRAC +1 3523233500

Austria: Poisons Information Centre (VIZ) Österreich: +43 1 406 43 43

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] None

- 2.2 Label elements
- 2.3 Other hazards

None

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

#### Hazardous ingredients

Page : 1 / 9



Trade name :	Alumina Gel 2 kg		
Revision date :	19.01.2023	Version (Revision) :	2.0.0 (1.0.0)
Print date :	30.01.2023		

Eye Irrit. 2 ; H319: C  $\geq$  50 %

#### Specific Conc. Limits : Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice.

#### **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. After contact with molten product, cool skin area rapidly with cold water. In case of skin irritation, consult a physician.

## After eye contact

In case of eye irritation consult an ophthalmologist.

## Following ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Seek medical advice immediately (poison centre).

# 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known. In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

# 4.3 Indication of any immediate medical attention and special treatment needed

treatment: Symptoms (decontamination, vital functions), no known specific antidote.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Sand , Carbon dioxide (CO2) , Dry extinguishing powder , Co-ordinate fire-fighting measures to the fire surroundings. **Unsuitable extinguishing media** 

Water

# 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

#### 5.3 Advice for firefighters

## Special protective equipment for firefighters

Full protection suit, Use suitable breathing apparatus.

# 5.4 Additional information

Move undamaged containers from immediate hazard area if it can be done safely.

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product. Provide adequate

Page : 2 / 9



Trade name :	Alumina Gel 2 kg		
Revision date :	19.01.2023	Version (Revision) :	2.0.0 (1.0.0)
Print date :	30.01.2023		

ventilation.

# 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3 Methods and material for containment and cleaning up

Take up mechanically. Clear contaminated areas thoroughly. Treat the recovered material as prescribed in the section on waste disposal.

# 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Use only in well-ventilated areas. It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists Use only in well-ventilated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Protect against UV-radiation/sunlight, Heat.

#### Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container. Keep container tightly closed.

# Hints on joint storage

Storage class (TRGS 510): 10

## 7.3 Specific end use(s)

Observe instructions for use. see section 1.2

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational exposure limit values**

ETHANOL ; CAS No. : 64-17-5

Limit value type (country of origin) :	TRGS 900 ( D )
Limit value :	200 ppm / 380 mg/m <sup>3</sup>
Peak limitation :	4(II)
Remark :	Y
Version :	02.07.2021

## **DNEL-/PNEC-values**

# DNEL/DMEL

ETHANOL ; CAS No. : 64-17-5	
Limit value type :	DNEL/DMEL
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	114 mg/m <sup>3</sup>
Limit value type :	DNEL/DMEL
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	206 mg/kg

(Consumer)

(Consumer)



Trade name : Revision date : Print date : Alumina Gel 2 kg 19.01.2023 30.01.2023

Version (Revision) : 2.0

2.0.0 (1.0.0)

Assessment factor :	day(s)
Limit value type :	DNEL/DMEL (Consumer)
Exposure route :	Oral
Exposure frequency :	Long-term
Limit value :	87 mg/kg
Assessment factor :	day(s)
Limit value type :	DNEL/DMEL (Worker)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	950 mg/m <sup>3</sup>
Limit value type :	DNEL/DMEL (Worker)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	343 mg/kg
Assessment factor :	day(s)
PNEC	
ETHANOL ; CAS No. : 64-17-5	
Limit value type :	PNEC (Aquatic, freshwater)
Limit value :	0,96 mg/l
Limit value type :	PNEC (Aquatic, marine water)
Limit value :	0,79 mg/l
Limit value type :	PNEC (Sediment, freshwater)
Limit value :	3,6 mg/kg
Limit value type :	PNEC (Sediment, marine water)
Limit value :	2,9 mg/kg
Limit value type :	PNEC (Soil)
Limit value :	0,63 mg/l
Limit value type :	PNEC (Secondary poisoning)
Limit value :	0,38 g/kg

# 8.2 Exposure controls

Personal protection equipment

Use personal protection equipment.

# Eye/face protection



Eye glasses with side protection EN 166

# Skin protection

Hand protection



**By short-term hand contact** : Hand protection is not required. **By long-term hand contact** : Check leak tightness/impermeability prior to use. Suitable material Butyl caoutchouc (butyl rubber) , NBR (Nitrile rubber) Breakthrough time 480 min

**Remark** : When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374



Trade name :
<b>Revision date :</b>
Print date :

Alumina Gel 2 kg 19.01.2023 30.01.2023

Version (Revision) :

2.0.0 (1.0.0)

## **Body protection**

Wear anti-static footwear and clothing Protective clothing. EN 13034 Natural fibres (e.g. cotton) , heat-resistant synthetic fibres Chemical resistant safety shoes DIN EN 13832-2

# **Respiratory protection**

Usually no personal respirative protection necessary.

## **General information**

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance :GelColour :beigeOdour :Alcohol

# **Safety characteristics**

	Salely characteristics				
	Physical state :			Liquid	
	Melting point/freezing point :			not determined	
	Initial boiling point and boiling range :	( 1013 hPa )		not determined	
	Decomposition temperature :			not determined	
	Flash point :		>	60	°C
	Auto-ignition temperature :			not determined	
	Lower explosion limit :			not applicable	
	Upper explosion limit :			not applicable	
	Density :	( 20 °C )	approx.	1,2 - 1,3	g/cm <sup>3</sup>
	Water solubility :	( 20 °C )		partially soluble	
	Fat solubility :	( 20 °C )		Not determined.	
	рН :			not determined	
	log P O/W :			not determined	
	Viscosity :	( 20 °C )		not determined	
	Cinematic viscosity :	(40 °C)		not relevant	
	Odour threshold :			not determined	
	Relative vapour density :	( 20 °C )		not determined	
	Vapourisation rate :			not determined	
	Flammable solids :	Not applicable.			
	Flammable gases :	Not applicable.			
	Oxidising liquids :	Not relevant.			
	Explosive properties :	Not applicable.			
	Corrosive to metals :	Not relevant.			
9.2	Other information				

Uner

None

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.



Trade name :	Alumina Gel 2 kg		
Revision date :	19.01.2023	Version (Revision) :	2.0.0 (1.0.0)
Print date :	30.01.2023		

10.3	Possibility of hazardous reactions
	No known hazardous reactions.
10.4	Conditions to avoid
40 F	See section 7 of the safety data sheet.
10.5	Incompatible materials
10.0	
10.6	Hazardous decomposition products
	Does not decompose when used for intended uses.
SECT	FION 11: Toxicological information
11.1	Information on hazard classes as defined in Regulation (EC) No 1272/2008
	Acute toxicity
	Based on available data, the classification criteria are not met.
	Corrosion
	Based on available data, the classification criteria are not met.
	Respiratory or skin sensitisation
	Based on available data, the classification criteria are not met.
	CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
	Carcinogenicity
	Based on available data, the classification criteria are not met.
	Germ cell mutagenicity
	Based on available data, the classification criteria are not met.
	Reproductive toxicity
	Based on available data, the classification criteria are not met.
	STOT-single exposure
	Based on available data, the classification criteria are not met.
	STOT-repeated exposure
	Based on available data, the classification criteria are not met.
	Aspiration hazard
	Based on available data, the classification criteria are not met.
11.2	Information on other hazards
	Endocrine disrupting potential: The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
	Other indications of toxicity The product has not been tested. The statements on toxicology were derived from the properties of the individual components.
SECT	FION 12: Ecological information
12.1	<b>Toxicity</b> The product has not been tested. The statement is derived from the properties of the single components. <b>Aquatic toxicity</b>



Trade name :	Alumina Gel 2 kg		
Revision date :	19.01.2023	Version (Revision) :	2.0.0 (1.0.0)
Print date :	30.01.2023		

Based on available data, the classification criteria are not met.

# 12.2 Persistence and degradability

The insoluble part can be precipitated mechanically in suitable sewage treatment plants.

# 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6 Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## 12.7 Other adverse effects

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## 12.8 Additional ecotoxicological information

#### **Additional information**

Do not allow uncontrolled discharge of product into the environment.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Dispose according to legislation.

# **13.2 Additional information**

Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

# 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

# 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

# 14.4 Packing group

No dangerous good in sense of these transport regulations.

# 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

# 14.6 Special precautions for user

None

## **14.7 Maritime transport in bulk according to IMO instruments** No transport as bulk according to IBC Code.



Trade name :
Revision date :
Print date :

Alumina Gel 2 kg 19.01.2023 30.01.2023

Version (Revision) :

2.0.0 (1.0.0)

# **SECTION 15: Regulatory information**

# <sup>15.1</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

**Restrictions on use** 

## Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no.: 40, 75

#### **National regulations**

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

## Water hazard class

Classification according to AwSV - Class : nwg (Non-hazardous to water)

Other regulations, restrictions and prohibition regulations

#### Switzerland

**VOCV-Regulation** 

See section 9.1

## **15.2 Chemical Safety Assessment**

A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture a chemical safety assessment has been carried out :

ETHANOL ; REACH No. : 01-2119457610-43 ; EC No. : 200-578-6; CAS No. : 64-17-5

# **SECTION 16: Other information**

#### 16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 15. Restrictions on use · 15. Technische Anleitung Luft (TA-Luft)

#### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the carriage of Dangerous goods by Road

- ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways
- ATE = Estimated values for acute toxicity
- AwSV = Ordinance on Installations for Handling Substances Hazardous to Water

CAS = Chemical Abstract Service Number

- CE = European Community
- CLP = EC Regulation 1272/2008

CMR = cancerogen mutagen reprotoxic

DIN = German Institute for Standardisation

DNEL = Derived No Effect Level

DMEL = Derived Minimum Effect Level

EC50 = Mean effective concentration that induces a defined effect other than death in a test population

EG = European Community

EN = European standards

IATA = International Air Transport Association Dangerous Goods Regulation

IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large quantities

IMDG = International Maritime Code for dangerous goods

ISO = International Organization for Standardization

LC50 = Lethal Concentration 50%

LD50 = Lethal dose 50%



Trade name :	Alumina Gel 2 kg		
Revision date :	19.01.2023	Version (Revision) :	2.0.0 (1.0.0)
Print date :	30.01.2023		

MAK = Maximum workplace concentration MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter NOEC = No Observed Effect Concentration OECD = Organisation for Economic Cooperation and Development PBT = Persistent, bioaccumulative and toxic pH = potential of hydrogenPNEC = Predicted no effect concentration PPM = parts per million REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006) RID = Regulation concerning the international transport of dangerous goods by train TRGS = Technical rules for hazardous substances (german rules) TWA = Time-weighted average exposure limit UN-Number = UN number for the transport of dangerous goods vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation VOC = Volatile organic Compounds 16.3 Key literature references and sources for data None Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] 16.5 Relevant H- and EUH-phrases (Number and full text) H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

## 16.6 Training advice

None

16.4

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.